

NCS2-VT04

Video Transcoding NIC With Intel® Tiger Lake U CPU
& 10bit HEVC Codec



■ Features

- Intel® Tiger Lake U CPU (i7/Celeron)
- Max. 32GB DDR4 3200 MHz non-ECC UDIMM
- Power/LAN/Status LED

■ Specifications

PCB	VT04A/VT04D
Chipset	Intel® Tiger Lake U (i7/Celeron)
Interface	PCIe Gen3*8
Connector	PCIe*8 Golden Finger
System Compatibility	Lanner x86 Appliances
Temperature	
Operating	0 ~ 40°C
Storage	-40~70°C
Humidity	5%~90% RH, Non-condensing
Mechanical	
Dimension (W x D x H)	39 mm x 77.2 mm x 196.1 mm
Weight	1 kg
Certification	
CE	Class A
FCC	Class A
UL	Yes
RoHS	Yes

■ Product I/O View



NCS2-VT04

■ Ordering Information

NCS2-VT04A	VT04A + sub NCS2-VT04A (i7-1185G7E Tiger Lake U CPU)
NCS2-VT04D	VT04D + sub NCS2-VT04A (Celeron 6305E Tiger Lake U CPU)

V1.2021.10.25

Lanner

© Lanner Electronics Inc. All rights reserved.
All product specifications are subject to change without notice.
connect@lannerinc.com | www.lannerinc.com

NCS2-VT04